



# **AN-D23**

2x5.25" to 3x3.5" SAS/SATA 6.0 Gb/s Trayless Hot-Swap Cage



#### **Features**

- Aluminum Frame, designed for heavy-duty purpose
- 2 Support SAS I/II, SATA I/II/III Hard Drives
- 3 Data Transfer Rate up to 6.0 Gb/s
- 4 Integrative shaping aluminum design for quickest heat sink
- **5** Aluminum front bezel with metal key lock mechanism for double safety
- 6 Removable fan cover for easy maintenance
- 7 Multi-functional LED Indication
- Support Hot-Swap & RAID Configuration (need an additional RAID controller)
- Sow-noise Design with Fan-speed Control
- 10 3TB Hard Drives Compatible



#### **Product Overview**




Front view



Rear view













#### **Product Introduction**

AN-D23 is ISG's third generation tray-less hot-swap hard drive cage. It features the latest transfer rate technology of 6.0 Gb/s (SATA I/II/III and SAS I/II), and is RAID capable. It also comes with adjustable fans speed and ultra-quiet cooling fans. The LED Display lights features the new blue light by popular demand. Heat dissipation is enhanced by the full aluminum construction and a 70mm fan. SATA power connector increases compatibility with most power supplies. The metal key locks help secure your hard drives and prevent unauthorized access. Converting two standard 5.25" drive bays into three usable hard drive slots, it is economically designed to maximize your investment.

# 4

### **Specifications**

Model Number	AN-D23
RoHS Compliance Version	Yes
Standard Drive Bays	5.25" Drives: 2
	Hotswap 3.5: 3
Hotswap HDD Type	3.5" SAS I/II & SATA I/II/III
Indicators	Blue for Power on/ Purple for HDD Access
Security	Key Lock
Material of Front Bezel	Aluminum
Material of Handle	Aluminum
Material of Main Chassis	Aluminum
Color of Front Bezel	Black/ Blue/ Red/ Silver
Color of Main Chassis	Black
Cooling Fan	1x70mm
Ordering Information	Black Handle:AN-D23-BLACK
(Part Number)	Blue Handle:AN-D23-BLUE
	Red Handle:AN-D23-RED
	Silver Handle:AN-D23-SILVER
Dimensions (WxHxD)	5.71" x 3.35" x 7.64"
	145.0 mm x 85.1 mm x 194.1 mm
Packing Box ( WxHxD )	4.92" x 7.09" x 10.00"
	125.00 mm x 180.00 mm x 254.00 mm
G.W. of Packing Box ( kg )	1.2kg
Carton ( WxHxD )	14.96" x 11.02" x 20.47"
	380.00 mm x 280.00 mm x 520.00 mm
G.W. of Carton ( kg )	10.8kg
Unit in Carton ( pcs /carton )	8PCs

# AN-D23 2x5.25" to 3x3.5" SAS/SATA 6.0 Gb/s Trayless Hot-Swap Cage

# **5** 2D Drawing

